

Abiquo UI

Style Sheet

Overview of parts

This section defines the main parts of the Abiquo UI that can be styled with the branding style sheets

1

2

³ abiquo®

English ▾

Remember password

⁴

Enter

⁵ [Forgot your password?](#)

Login page parts

1. Body background color.
2. Watermark image.
3. Login logo.
4. Buttons.
5. Login footer.

Enterprises



21

22

Users

Roles

Scopes 19

All

Activated

Suspended

Show logged

20



25

All 13

24

User name	Surname	Name	Email	Role	Activated	Locked
aa	p	alessia	alessia.prete@abiquo.com	CLOUD_ADMIN	●	-
su	su	su	su@gmail.com	USER	●	-
suadm	suadm	suadm	su@gmail.com	CLOUD_ADMIN	●	-
suent	suent	suent	su@gmail.com	ENTERPRISE_ADMIN	●	-

Abiquo

Lucia Ent

Susana Ent

7 26

Alessia Ent

Mary-Jane Ent

XaviF

Daniel Ent

Pelican

8

AliciaEnt

lucia test

Enric Ltd

Ignasi Enterprise

test

Wayko Ent

Enric Merda

AliciaEnt2

Main page parts

6. Enterprise logo.
7. Side menu selected item.
8. Side menu background.
9. Main menu background
10. Main menu button text color (up, hover and selected).
11. User name.
12. User enterprise name.
13. Side menu text color.
14. Grid selected item
- 14b. Grid unselected item
15. Footer.
16. Footer labels.
17. Paginator.
18. Main window background.
19. Tab navigation.
20. Tab navigation alternative.
21. Side menu title.
22. Side menu buttons.
23. Main menu paginator.
24. Main menu buttons.
25. Main menu list.
26. Side menu selected item.
27. Main menu paginator text color.

Class names

This section defines the class names in the Abiquo UI that are styled with the Abiquo style sheets. The parts of the page related to each style are marked with the part number in brackets (N).

body (1, 2)

.login-form



The image shows a login form for 'abiquo'. The form is white with rounded corners and is centered on an orange background. It contains the following elements from top to bottom: the 'abiquo' logo, a 'Username' input field, a 'Password' input field, a language selection dropdown menu currently showing 'English', a 'Remember password' checkbox which is checked, an orange 'Enter' button, and a footer area with the text '[Forgot your password?](#)'.

.login-title (3)

.selec2-arrow

.btn-primary (4)

.login-footer

.login-footer-link (5)

Private

Public

Remote services

+ ✎ 🗑️ 🔍

All

.side-menu-list-item-active (7)

Appliance manager

Business process manager

Cloud provider proxy

DHCP service

DHCPv6 service

Discovery manager

Storage manager

Virtualization manager

Monitor manager

.side-menu-font-active
.side-menu-font-active: hover
(26)

.side-menu-font
.side-menu-font: hover
(13, 21)

.side-menu
(8)

Port	Path	Locations	Status
80	ssm		UNAVAILABLE
80	virtualfactory		UNAVAILABLE
80	vsm		UNAVAILABLE
8009	am	RS DC	AVAILABLE
8009	bpm-async	RS DC	AVAILABLE
8009	cpp	CloudSigma, Azure_1, Azure_2, Azure_3, Clo...	AVAILABLE
8009	nodecollector	DigitalOcean FRA, AWS - Europe_1, Softlayer...	AVAILABLE
8009	ssm	RS DC	AVAILABLE
8009	virtualfactory	DigitalOcean FRA, AWS - Europe_1, Softlayer...	AVAILABLE
8009	vsm	DigitalOcean FRA, AWS - Europe_1, Softlayer...	AVAILABLE
8009	bpm-async	Monolithic DC	AVAILABLE
8009	nodecollector	Monolithic DC	AVAILABLE
8009	ssm	Monolithic DC	AVAILABLE
8009	virtualfactory	Monolithic DC	AVAILABLE
8009	vsm	Monolithic DC	AVAILABLE
	am	Monolithic DC	AVAILABLE

.main-menu-logo (6)

.main-menu (9)

.main-menu-user-name-link (11)

.main-menu-enterprise-label (12)



Normal (10)
.main-menu-section-link
.main-menu-section-link:visited





















Mouse over
.main-menu-section-link:hover



Active view (or clicked)
.main-menu-section-link-active
.main-menu-section-link-active:visited
.main-menu-section-link-active:hover

Icons only have two personalizations: Normal and Active (or clicked)

<code>.main-menu-section-link-icon-home</code>			<code>.main-menu-section-link-icon-home-active</code>
<code>.main-menu-section-link-icon-structure</code>			<code>.main-menu-section-link-icon-structure-active</code>
<code>.main-menu-section-link-icon-data</code>			<code>.main-menu-section-link-icon-data-active</code>
<code>.main-menu-section-link-icon-library</code>			<code>.main-menu-section-link-icon-library-active</code>
<code>.main-menu-section-link-icon-users</code>			<code>.main-menu-section-link-icon-users-active</code>
<code>.main-menu-section-link-icon-pricing</code>			<code>.main-menu-section-link-icon-pricing-active</code>
<code>.main-menu-section-link-icon-events</code>			<code>.main-menu-section-link-icon-events-active</code>
<code>.main-menu-section-link-icon-configuration</code>			<code>.main-menu-section-link-icon-configuration-active</code>
<code>.main-menu-section-link-icon-reports</code>			<code>.main-menu-section-link-icon-reports-active</code>

Documentation icon - Does not have an icon. It works with `.main-menu-section-link`, `.main-menu-section-link: hover` and `.main-menu-section-active`

Note - Buttons have `:hover` but **Icons** do not have `:hover`. If you need to handle a hover personalization for an icon, you need to add `.main-menu-section-link: hover` at the beginning of the state that will be hovered over.

- For example, for home icon hover in normal state: `.main-menu-section-link: hover .main-menu-section-link-icon-home {}`

Private Public Remote services

+ -

All

Datacenter

1

Servers Network Persistent storage Datastore tiers Allocation rules Backup configuration

Physical servers

Virtual machines - localhost.localdomain

Physical machine

Rack

Create physical machine

Rack

localhost.localdomain

.nav li a
 .nav li a:visited
 .nav li a:hover
 .nav li a.active
 (19)

.dropdown .dropdown-menu li a:hover

.ab-box-border

.ab-nav a
 .ab-nav a:visited
 .ab-nav a:hover
 .ab-nav a.active

localhost.localdomain

General

Network interfaces

Description

State

localhost.localdomain

#CPU: 1
 RAM: 996.00 MB
 Hard disk: 5.40 TB (used 2.29 TB)

IP: 10.60.11.3
 Hypervisor type: KVM
 Port:

V. Appliances

Template Persistent VM

Virtual machines

Back to virtual datacenter

Icons List Monitoring

Deploy virtual appliance

Search

Search

Add a layer Create instance

vapp_VDC

Double-click or drag & drop templates into the virtual appliance

Others




.side-menu-action-button .side-menu-action-button:visited .side-menu-action-button:hover .side-menu-action-button:active (22)

.actions-container-renderer button .actions-container-renderer button:hover

.ab-items-list>li.active

ddduplicate_m... CPU:1 | RAM:128 MB

m0n0wall CPU:1 | RAM:128 MB



.side-menu-back

.side-menu-paginator a .side-menu-paginator a:hover .side-menu-paginator li.active a (17)

ABQ_a5242e69-1b28-4372-b0d5-4b9208ba2e63

Deploy VM

General

Description

Network

Storage

UUID: a5242e69-1b28-4372-b0d5-4b9208ba2e63

Owner: My Enterprise / Cloud Administrator

RAM: 64.00 MB

VM template: Core_uplodaded

CPU: 1

V. Datacenters + [edit] [delete]

Virtual appliances Network Volumes Persistent VM templates

[search]

Private External Public

All

Networks + [edit] [delete]

Private IPs + [search]

test

All

default_private_network (Def...

IP address	MAC	VLAN	Virtual appliance	Virtual machine
192.168.0.1	02:42:ac:08:E9:EF	default_private_network		
192.168.0.2	02:42:ac:43:DE:C1	default_private_network	test	ABQ_54f23e0b-c589-4d3f-ba0...

.ab-topiclist li a

.ab-topiclist li.active a

<< < 1 > >>

.pagination a
.pagination a:hover
.pagination li.active a
(27)

<< < 1 > >>

Private (1) Public (2)

Private

Datacenter

Capacity 1.15 TB

Remaining 324.21 GB

Categories

Show all categories

Applications servers (global)

Chef (global)

Database servers (global)


functionals (global)

OS (global)

Others (global)

Web servers (global)

Virtual machine templates: Show all categories



.btn-menu-toggle
.btn-menu-toggle:hover
.btn-menu-toggle.active

.main-background-color
(18, 20, 23)

Instances for virtual machine template: grml-sync





(16)
.main-footer-font
.main-footer-font:visited
.main-footer-font:hover
.main-footer-font:active

.main-footer (15)

Private (1) Public (0)

Create template from remote template repository

Repositories	Categories	Packages
<p>Repository 2.0</p>	<p>All</p> <p>Chef</p> <p>Firewall</p> <p>OS</p>	<div style="display: flex; justify-content: space-between; align-items: center;"> Download Download... </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>Centos 5.6 x86_64 614.03 MB (capacity: 2.00 GB)</p> <p>Centos 5. Log in as 'root' with password 'abiquo'.</p> <p>Show disks</p> </div> <div style="border: 1px solid #ccc; padding: 2px;"> % </div> <div style="margin-left: 10px;"> <p>Cancel</p> </div> </div> <hr/> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;">  </div> <div> <p>m0n0wall 1.3b18-i386 (Downloaded) 26.00 MB (capacity: 26.00 MB)</p> <p>m0n0wall is a project aimed at creating a complete, embedded firewall software package that, when used together with an embedded PC, provides all the important features of commercial firewall boxes (including ease of use) at a fraction of the price (free software). https://PUBLIC:IP and use Username: admin, password: abiquo. Configure MANUALLY the private IP of</p> </div> </div>

Close

.progress-bar

Private

Category

Search

Datcenter

Capacity 1.15 TB

Remaining 349.23 GB

Show

Applic

Chef

Data

Firew

funct

OS (g

Other

Web

+ T search

Core promoted #CPU 1 (64 MB)

Core5 (1GB) #CPU 1 (64 MB)

func-iso-livecd #CPU 1 (512 MB)

INVALID_TEMP... #CPU 1 (256 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

m0n0wall #CPU 1 (128 MB)

.modal-header

Delete template ✕

Are you sure you want to delete template grml-sync?

Cancel
Accept

.main-background-color
(18, 20, 23)

.btn-secondary (4)

.btn-primary (4)

Private (1) Public (2)

Private

Datcenter
Capacity 1.15 TB
Remaining 324.21 GB

Show all categories

- Applications servers (global)
- Chef (global)
- Database servers (global)
- functionals (global)
- OS (global)
- Others (global)
- Web servers (global)

Virtual ma


Core_upload #CPU 1 (64 MB)	#CPU 1 (128 MB)	#CPU 1 (1024 MB)	Duplicate	#CPU 1 (128 MB)	#PU 1 (128 MB)	Promoted_Test... #CPU 1 (128 MB)
-------------------------------	-----------------	------------------	-----------	-----------------	----------------	-------------------------------------

Export

1

Instances for virtual machine template: grml-sync Collapse

S ☰



f90b47d5-2393-...
#CPU 1 (128 MB)

.modal-header



Edit network

Name * default_private_network

IPv6

Netmask (CIDR) * 22

Net. address * 192.168.0.0

Gateway 192.168.0.1

Primary DNS

Secondary DNS

DNS suffix

Static routes Define

Default network

Cancel Save

.main-background-color
(18, 20, 23)




.btn-secondary (4)



.btn-primary (4)





.abg-solo, .abg-left, .abg-middle, .abg-right (24)

NOTE: Must be defined before .side-menu-action-button

.ab-topiclist-tree .ab-active

Private External Public N

Networks

- ▼ Abiquo
 - ▼ leader2esx
 - default_private_network
 - privateipv6
 - ▶ leaderhyperuve
 - ▶ leaderVDC
 - ▶ pelicanVdc
 - ▶ pelicanVdcEsxi
 - ▶ test xavi
 - ▶ testKVM

.ab-topiclist-tree2 a.active

Private IPs

IP address

9.9.9.1

20.20.20.1

30.30.30.1

30.30.30.2

```
/* Color for even rows */
```

```
.ngGrid .ngViewport .ngRow.even
```

```
/* Color for odd rows */
```

```
.ngGrid .ngViewport .ngRow.odd
```

```
/* Color for selected rows */
```

```
.ngGrid .ngViewport .ngRow.selected  
(14, 14bis)
```



Virtual appliance

Virtual machine

vapp2

ABQ_0d3406b8-05c9-45e3-9b...